

Discover the Power of **Wegovy**[®]



Actor portrayals throughout

What is Wegovy[®]?

WEGOVY[®] (semaglutide) injection 2.4 mg is an injectable prescription medicine used with a reduced calorie diet and increased physical activity:

- to reduce the risk of major cardiovascular events such as death, heart attack, or stroke in adults with known heart disease and with either obesity or overweight
- that may help adults with obesity or overweight with weight-related medical problems, lose excess body weight and keep the weight off

Wegovy[®] contains semaglutide and should not be used with other semaglutide-containing products or other GLP-1 receptor agonist medicines.

It is not known if Wegovy[®] is safe and effective for use in children under 12 years of age.

Please see additional Important Safety Information throughout. Please [click here](#) for Prescribing Information, including Medication Guide.

ONCE-WEEKLY

wegovy[®]

semaglutide injection **2.4 mg**

This is the Power of Wegovy®



Lose weight

For adults with obesity or overweight who also have weight-related medical problems, along with a reduced calorie diet and increased physical activity



Keep it off



Lower the risk of major cardiovascular (CV) events

Such as death, heart attack, or stroke in adults with known heart disease and obesity or overweight, along with a reduced calorie diet and increased physical activity.



Important Safety Information

What is the most important information I should know about Wegovy®?

Wegovy® may cause serious side effects, including:

- **Possible thyroid tumors, including cancer.** Tell your healthcare provider if you get a lump or swelling in your neck, hoarseness, trouble swallowing, or shortness of breath. These may be symptoms of thyroid cancer. In studies with rodents, Wegovy® and medicines that work like Wegovy® caused thyroid tumors, including thyroid cancer. It is not known if Wegovy® will cause thyroid tumors or a type of thyroid cancer called medullary thyroid carcinoma (MTC) in people

Please see additional Important Safety Information throughout. Please [click here](#) for Prescribing Information, including Medication Guide.

Important Safety Information

What is the most important information I should know about Wegovy®? (cont'd)

Wegovy® may cause serious side effects, including: (cont'd)

- Do not use Wegovy® if you or any of your family have ever had a type of thyroid cancer called medullary thyroid carcinoma (MTC) or if you have an endocrine system condition called Multiple Endocrine Neoplasia syndrome type 2 (MEN 2)

ONCE-WEEKLY

wegovy®

semaglutide injection **2.4 mg**

Lose weight with Wegovy®

In a 68-week medical study of 1,961 adults* living with obesity or overweight with a related medical problem:



- In the study, people taking Wegovy® lost an average of ~15% body weight (~35 lb) compared with people taking placebo (not on medicine) who lost ~2.5% (6 lb)
- In addition to a reduced calorie diet and increased physical activity:
 - **83% of adults** taking Wegovy® lost **5% or more** weight compared with 31% taking placebo
 - **66% of adults** taking Wegovy® lost **10% or more** weight compared with 12% taking placebo
 - **48% of adults** taking Wegovy® lost **15% or more** weight compared with 5% taking placebo

Some adults achieved 20% weight loss (46 lb).
Based on 232 lb starting weight.

- **30% of people** taking Wegovy® lost **20% or more** weight compared with 2% of people taking placebo, in a supportive measure

*Results are from a 68-week medical study of adults with obesity (BMI ≥30) and adults with overweight (BMI ≥27) who also had weight-related medical problems, including high blood pressure or high cholesterol. People with type 2 diabetes were excluded. Both groups received instruction for a reduced calorie diet and increased physical activity. 7% of people taking Wegovy® (92 people) left the medical study due to side effects compared with 3.1% of people taking placebo (20 people).

Important Safety Information

Do not use Wegovy® if:

- you or any of your family have ever had a type of thyroid cancer called medullary thyroid carcinoma (MTC) or if you have an endocrine system condition called Multiple Endocrine Neoplasia syndrome type 2 (MEN 2)
- you have had a serious allergic reaction to semaglutide or any of the ingredients in Wegovy®

Please see additional Important Safety Information throughout. Please [click here](#) for Prescribing Information, including Medication Guide.

What could weight loss with Wegovy® look like?

Select your starting weight from the drop-down list below.

FIND STARTING WEIGHT

5% 10% 15%

LB LB LB

PEOPLE LOST
~15% on average

When combined with a reduced calorie diet and increased physical activity.

Individual results may vary.

Health care professionals prescribe Wegovy® to help with losing weight and keeping it off in adults living with obesity and some with overweight with weight-related medical problems.

Talk to your health care professional to see if Wegovy® is right for you

Important Safety Information

Before using Wegovy®, tell your healthcare provider if you have any other medical conditions, including if you:

- have or have had problems with your pancreas or kidneys
- have type 2 diabetes and a history of diabetic retinopathy
- have or have had depression, suicidal thoughts, or mental health issues
- are scheduled to have surgery or other procedures that use anesthesia or deep sleepiness (deep sedation)
- are pregnant or plan to become pregnant. Wegovy® may harm your unborn baby. You should stop using Wegovy® 2 months before you plan to become pregnant
- are breastfeeding or plan to breastfeed. It is not known if Wegovy® passes into your breast milk

ONCE-WEEKLY
wegovy®
semaglutide injection **2.4 mg**

Keep the weight off

People taking Wegovy® achieved lasting weight loss



Proven to maintain weight loss

- In a separate 2-year medical study, adults taking Wegovy® 2.4 mg lost an average of ~15% (~35 lb) vs 2.6% (~6 lb) for adults taking placebo*
- 77% of adults taking Wegovy® lost 5% or more weight compared with 34% taking placebo
- Average starting weight for people taking Wegovy® was ~233 lb and for placebo was ~235 lb

In medical studies, people who stopped taking Wegovy® generally regained weight.

*This 2-year medical study included 304 adults with obesity (BMI ≥ 30) or overweight (BMI ≥ 27) with at least one weight-related condition. People with type 2 diabetes were excluded. Both groups received instructions for a reduced calorie diet and increased physical activity. 22 people did not complete the study. 5.9% of people taking Wegovy® (9 people) discontinued treatment due to side effects compared with 4.6% for placebo (7 people).

Important Safety Information

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Wegovy® may affect the way some medicines work and some medicines may affect the way Wegovy® works. Tell your healthcare provider if you are taking other medicines to treat diabetes, including sulfonylureas or insulin. Wegovy® slows stomach emptying and can affect medicines that need to pass through the stomach quickly.

Please see additional Important Safety Information throughout. Please [click here](#) for Prescribing Information, including Medication Guide.

Benefits beyond the scale®

While not approved to treat these conditions, people taking Wegovy®† also saw improvements in:

- Blood pressure
- Cholesterol
- Blood sugar

Some people taking Wegovy® also experienced an increase in resting heart rate.



Actor portrayals

†Results are from a 68-week medical study of adults with obesity (BMI ≥ 30) and adults with overweight (BMI ≥ 27) who also had weight-related medical problems, including high blood pressure or high cholesterol. People with type 2 diabetes were excluded. Both groups received instruction for a reduced calorie diet and increased physical activity.

Important Safety Information

What are the possible side effects of Wegovy®?

Wegovy® may cause serious side effects, including:

- **inflammation of your pancreas (pancreatitis).** Stop using Wegovy® and call your healthcare provider right away if you have severe pain in your stomach area (abdomen) that will not go away, with or without vomiting. You may feel the pain from your abdomen to your back

ONCE-WEEKLY
wegovy®
 semaglutide injection **2.4 mg**

Along with a reduced calorie diet and increased physical activity

Lower the risk of major CV events with Wegovy®

Adults living with overweight or obesity and known heart disease are at an increased risk for another major CV event.

Wegovy® is the **first and only** weight-management medicine that is also **FDA-approved to lower the risk of major cardiovascular events** such as death, heart attack, or stroke in adults with known heart disease and either obesity or overweight.



Talk to your health care professional to see if Wegovy® is right for you

CV, cardiovascular.

Important Safety Information

What are the possible side effects of Wegovy®? (cont'd)

Wegovy® may cause serious side effects, including: (cont'd)

- **gallbladder problems.** Wegovy® may cause gallbladder problems, including gallstones. Some gallstones may need surgery. Call your healthcare provider if you have symptoms, such as pain in your upper stomach (abdomen), fever, yellowing of the skin or eyes (jaundice), or clay-colored stools

Please see additional Important Safety Information throughout. Please [click here](#) for Prescribing Information, including Medication Guide.

“I’m reducing my CV risk with Wegovy®.”



Actor portrayals

Important Safety Information

What are the possible side effects of Wegovy®? (cont'd)

Wegovy® may cause serious side effects, including: (cont'd)

- **increased risk of low blood sugar (hypoglycemia), especially those who also take medicines for diabetes such as insulin or sulfonylureas.** This can be a serious side effect. Talk to your healthcare provider about how to recognize and treat low blood sugar and check your blood sugar before you start and while you take Wegovy®. Signs and symptoms of low blood sugar may include dizziness or light-headedness, blurred vision, anxiety, irritability or mood changes, sweating, slurred speech, hunger, confusion or drowsiness, shakiness, weakness, headache, fast heartbeat, or feeling jittery

ONCE-WEEKLY

wegovy®

semaglutide injection **2.4 mg**

How Wegovy[®] works

The first FDA-approved, once-weekly weight-management medicine

How does Wegovy[®] lead to weight loss? Your brain gets signals from different places in your body. Some of these signals are called appetite hormones, which help regulate how much food you eat. Wegovy[®] works similarly to one of these natural appetite hormones.

Wegovy[®] reduces appetite so you eat fewer calories and lose weight.

Wegovy[®] comes in a single-use pen

Once weekly

You'll use a new pen every time you dose.



Hidden needle

You won't see or handle the needle.

Preset dose

The dose is already set on your pen.

Refer to Instructions for Use within the Prescribing Information for how to use the Wegovy[®] pen.

Important Safety Information

What are the possible side effects of Wegovy[®] (cont'd)

Wegovy[®] may cause serious side effects, including: (cont'd)


- **kidney problems (kidney failure).** In people who have kidney problems, diarrhea, nausea, and vomiting may cause a loss of fluids (dehydration), which may cause kidney problems to get worse. It is important for you to drink fluids to help reduce your chance of dehydration
- **severe stomach problems.** Stomach problems, sometimes severe, have been reported in people who use Wegovy[®]. Tell your healthcare provider if you have stomach problems that are severe or will not go away.

Please see additional Important Safety Information throughout. Please [click here](#) for Prescribing Information, including Medication Guide.

Get started with Wegovy[®]

Dosing designed with you in mind

Wegovy[®] comes in 5 different dose strengths, which are injected under the skin. **The starting dose is 0.25 mg** once a week, and you will gradually increase your dose every 4 weeks. Your health care professional can select either 1.7 mg or 2.4 mg for your maintenance dose.*



*At month 5 and on, you may either stay at 1.7 mg or increase to 2.4 mg. Work with your health care professional to determine which dose is right for you.

General tips for nausea

If you experience nausea, be sure to contact your health care professional. They will offer guidance on ways to manage it, which may include:

- Eating bland, low-fat foods, such as crackers, toast, and rice
- Eating foods that contain water, such as soup and gelatin
- Eating more slowly
- Not lying down after you eat
- Going outside and getting some fresh air

Important Safety Information

What are the possible side effects of Wegovy[®] (cont'd)

Wegovy[®] may cause serious side effects, including: (cont'd)

- **serious allergic reactions.** Stop using Wegovy[®] and get medical help right away, if you have any symptoms of a serious allergic reaction, including swelling of your face, lips, tongue, or throat; problems breathing or swallowing; severe rash or itching; fainting or feeling dizzy; or very rapid heartbeat

ONCE-WEEKLY
wegovy[®]
 semaglutide injection **2.4 mg**

Common side effects

- Nausea
- Diarrhea
- Vomiting
- Constipation
- Stomach (abdomen) pain
- Headache
- Tiredness (fatigue)
- Upset stomach
- Dizziness
- Feeling bloated
- Belching
- Low blood sugar in people with T2D
- Gas
- Stomach flu
- Heartburn
- Runny nose
- Sore throat

Talk to your health care professional if you experience any side effects, including nausea, while taking Wegovy®



T2D, type 2 diabetes.

Important Safety Information

What are the possible side effects of Wegovy®? (cont'd)

Wegovy® may cause serious side effects, including: (cont'd)

- **change in vision in people with type 2 diabetes.** Tell your healthcare provider if you have changes in vision during treatment with Wegovy®

Please see additional Important Safety Information throughout. Please [click here](#) for Prescribing Information, including Medication Guide.

Important Safety Information

What are the possible side effects of Wegovy®? (cont'd)

Wegovy® may cause serious side effects, including: (cont'd)

- **increased heart rate.** Wegovy® can increase your heart rate while you are at rest. Tell your healthcare provider if you feel your heart racing or pounding in your chest and it lasts for several minutes

ONCE-WEEKLY
wegovy®
 semaglutide injection **2.4 mg**

We understand where you've been...

WeGoTogether® is your support partner

Throughout treatment with Wegovy®, **WeGoTogether® is always free and here on your terms** with your choice of features designed to help you reach your goals, including:

- Access to a dedicated Health Coach
- Your own web portal to track your progress and medicine
- Skill-building resources to support long-term change
- Personalized feedback and reminders to stay accountable



Your Health Coach can help you set goals and reflect on your experience

Important Safety Information

What are the possible side effects of Wegovy®? (cont'd)

Wegovy® may cause serious side effects, including: (cont'd)

- **depression or thoughts of suicide.** You should pay attention to any mental changes, especially sudden changes in your mood, behaviors, thoughts, or feelings. Call your healthcare provider right away if you have any mental changes that are new, worse, or worry you
- **food or liquid getting into the lungs during surgery or other procedures that use anesthesia or deep sleepiness (deep sedation).** Wegovy® may increase the chance of food getting into your lungs during surgery or other procedures. Tell all your healthcare providers that you are taking Wegovy® before you are scheduled to have surgery or other procedures

Please see additional Important Safety Information throughout. Please [click here](#) for Prescribing Information, including Medication Guide.

...and we're excited for where you're going

While you're taking Wegovy®, **WeGoTogether®** can support you in a few key ways:



Getting started

- Understanding Wegovy® and your dosing schedule
- Setting achievable goals and tracking progress



Making progress

- Encourage you as you form nutrition and physical activity habits that support your body as it loses weight
- Provide tips on other aspects of weight management, like goal setting and sleep hygiene



Sustaining momentum

- Offering information on techniques like mindfulness to help you keep centered
- Building on the steps you have taken and planning for the long term

Let's take the next step together.

Learn more about **WeGoTogether®** at [WegovySupport.com](https://www.WegovySupport.com)

ONCE-WEEKLY
wegovy®
semaglutide injection **2.4 mg**

Wegovy[®] Verified

COVERAGE

When it comes to weight-management medicine, all health insurance plans are different.



Scan here or visit [Wegovy.com](https://www.wegovy.com) to check your insurance coverage in minutes

After you check your coverage, learn about the latest savings offer.

Important Safety Information

What are the possible side effects of Wegovy[®]? (cont'd)

The most common side effects of Wegovy[®] may include: nausea, diarrhea, vomiting, constipation, stomach (abdomen) pain, headache, tiredness (fatigue), upset stomach, dizziness, feeling bloated, belching, low blood sugar in people with type 2 diabetes, gas, stomach flu, heartburn, and runny nose or sore throat.

Wegovy[®] is a prescription medication. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

FDA, US Food and Drug Administration.

Please see additional Important Safety Information throughout. Please [click here](#) for Prescribing Information, including Medication Guide.

Wegovy[®], Benefits beyond the scale[®], and WeGoTogether[®] are registered trademarks of Novo Nordisk A/S. Novo Nordisk is a registered trademark of Novo Nordisk A/S.

© 2024 Novo Nordisk Printed in the U.S.A. US24SEMO01557 December 2024

ONCE-WEEKLY

wegovy[®]

semaglutide injection 2.4 mg

